

7-STAR^{*}

**H.265 5MP PTZ IP Camera Outdoor Optical 18X Zoom
Starlight PTZ IP P2P High Speed Dome Camera IP67**

5MP

**IP
CAM**

**18x
optical
zoom**

H.265

PTZ

**SD
Micro**

IR



PTZ-IP518

7-STAR[★]

Model	PTZ-IP518
Image sensor	1/2.8" CMOS
Signal model	PAL/NTSC
Horizontal resolution	3 megapixel
Effective pixel	2028(H)*1536(V)
Minimum illumination	Color:0.01Lux,B/W:0.001Lux
S/N ratio	>60dB
Backlight compensation	On/off
White balance	Auto
Electronic shutter	PAL:1/25~1/100000s NTSC:1/30~1/100000s
Focus length	5-90mm
Optical focus	18x
SD card	support MAX128GB
Focus system	Auto/Manual
Presets	255
Cruise track	8 groups, each group for 16 presets
Patrol track	4 groups, each group record 3 mins
IR distance	150M
IR light control	Intelligent control technology
IR light angle	Infrared zoom matching technology
IR light power	Auto setting
IR on	Day/Night/Auto/Timing
Horizontal range	360°Continuous rotation
Vertical range	-90°~0°
Preset call speed	Max 200°/S
Manual call speed	0.01°~180°/S
IR life	30000 hour
Video compression	H.265 Main Profile encoding ; MJPEG / JPEG Baseline encoding
Audio compression	G.711, G.726
Primary stream	2592*1920 25fps
Secondary stream	720P,VGA 25fps
Video bit rate	32Kbps-16Mbps continuously adjustable, support CBR / VBR
Network protocol	TCP/IP,UDP,RTP,RTSP,RTCP,HTTP,DNS, DDNS,DHCP,FTP,NTP,PPPOE,SMTP,UPNP
ONVIF support	Support
Cooling Structure	Dustproof structure outside the circle
Power supply	DC12V(5A)
protection level	IP67
Power	35W
Work temperature	-35-65°C
gift box	320×330×440mm ,volume weight 9.3KG.
Weight	6.5KG

7-STAR^{*}



7-STAR[★]

POE SWITCH



PTZ IP



ROUTER




NVR



*Night
Vision*



7-STAR[★]



7-STAR^{*}

IP67



7-STAR*

