

VSTARCAM 3MP HD Wireless IP Camera CCTV WiFi Home Security Camera Support Motion Auto Tracking and Baby Crying Detection



Crying Detection / Two-Way audio Remote Control



- Motion Detection
 - Intelligent motion alerts, send messages to Eye4 APP on the Phone, more secure
- Huawei Hisilicon chip
 - High performance processor, efficient and stable
- Support 3.0 Megapixel Better image quality, further vision
- Two-Way audio Talk free while viewing by APP.

Pan-Tilt control 5

Remotely control the camera pan-tilt, view what you want

- Cloud Service 6 Autosave
- Plug and play easily

Easy to use, only one charging cable, one -key set WIFI

Multi-Stream 8 3.0MP,2.0MP,VGA,QVGA

CS46S





2MP lens but support reach up to 3MP resolution

Monitoring resolution can be set to 2304x1296P manually,details are still clear even zoom in the image





Big vision with 360°, God's Perspective

350°Pan, 90°Tilt, rotate and see all what you want.

350°

90°



Sensitive crying detection

Sensitive crying detection, real-time know baby's emotional changes, do not worry about baby alone.








Two-way Audio, visit, talk and listen

360° stereo surround sound pickup, talk easily face to face even if you are far from home.





Records More Images with Less Storage

The IPC provides faster video streaming and stores more footage than ever thanks to Smart H264+ video compression technology.



H.264 video compression technology

Required storage space: 100%

Required bandwidth: 100%

Smart H264+ video compression technology

Required storage space: 50%


Required bandwidth: 50%

Amazing night vision, Clearness as daytime

6 pcs infrared leds with high power, night vision is up to 10meters.(subject to actual condition), surveillance clearly as daytime.







It will send alerting messages once detected abnormal motion,a great home-guard.









Smart Human Detection

Alarm message will be pushed to the phone when detect intruders within the monitoring range,combined with AI technology, it can effectively filter invalid alarms caused by curtain swing, light changes, shaking, pets, etc.





WiFi connection,

Multi-platform simultaneous viewing

Built in WI-FI module, One-key setting; Support Android, PC, IPAD, IPhone remotely device, easy to view.











Privacy Encryption

4 protection system guard,to prevent information leakage



weak password prompt

The APP will pop up alert if password setting is too simple.



gesture password

enhanced safety protection, prevent others use your phone peeting.





Login exception

eye4 will remember the acount login erea/if found account login elsewhere,will alert the login abnormal.



mobile phone and email address

bundle email and phone No.send verification code to email or phone to change the account password.





Personalized storage, Three choices

Support TF card memory, NVR and Cloud storage, it is convenient to record and playback







Cloud Service NVR 128G TF Card

TF Card Record Duration with Work 24 Hours

(Keep charging with a power cord)


Megapixel	16GB	32GB	64GB	128GB
1.0 MP	2.1 days	4 days	9 days	17.3 days
2.0 MP	1.8 days	3.8 days	7.5 days	15.1 days

Topology













Phone Wireless Router

IP Camera





















Parts List



IP Camera



Steady



Power



Screw



Manual



Certificate



Custom	Operation system	Embedded Linux OS	
System	Online visitor	Support 4 visitors at the same time	
Image Capture	Image sensor	1/2.8inch 1296p Progressive Scan CMOS	
	Minimum Illumination	0.5Lux (Color mode) ,0.1Lux (B&W mode)	
	Lens	3.6mm@F2.5	
	View Angle	102.4° (diagonal)	
	Night vision	Dual Filter,IR-Cut , 6pcs 850nm Φ5mm IR LED , IR irradiatio distance:10m	
Video	Encode format	H.264 main profile@levels:4.0/Motion-JPEG	
	Three Stream	Main Stream:1296p(2304X1296)@15fps, Sub Stream:1080p (1920X1080)@15fps, Third Stream:360p(640X360)@15fps	
	Bit Rate	128 ~ 4096kbps	
	Maximum frame rate	15fps	
	Image adjustment	Contrast、Brightness、Saturation、Hue	
Audio	Input	Built-in -38 dB microphone	
	Output	Built-in speaker(8Ω1W)	
	Sampling frequency / width	8KHz/16bit	
	Compression standard	ADPCM/32kbps	
Network	Ethernet	10Base-T / 100Base-TX, RJ45 connector	
	Protocols	TCP/IP,HTTP,TCP,UDP,DHCP,DNS,NTP,RTSP,P2P etc	
	Wireless LAN	IEEE802.11b/g/n	
	Wireless LAN Frequency	2.4~ 2.4835GHz	
	Wireless LAN security	64/128-bit WEP/WPA-PSK /WPA2-PSK data encryption	
Pan-tilt	Pan-tilt	Pan: 350°,tilt: 90°(Privacy position is not included)	
	Preset position	PC APP: support 16 positions, phone APP:support 5 position	
Memory	Socket	TF Push-push socket, Maximum support 128GB; Cloud Storage	
Alarm	Alarm Trigger	Motion detection	
	Rated voltage	DC 5V±5%	
	Power consumption	Related power:2.4W(IR LED on), Maximum:5.25W(Pan&Tilt or	
Physical Environme	Operating condition	Temperature:-10 ~ 50°C,humidity: < 90%	
ntal	Weight	Gross: 474g Net:208g (Note: in kind prevail)	
	Package size	197x157x120mm (L×W×H)	
	Product size	111X85X105mm (L×W×H)	