


Vstarcam 1080P 2MP IP camera Wifi surveillance security camera IR
Night Vision INDUSTRIAL TV CAMERA APP remote view mobile

IP CAMERA

1080P FHD NETWORK CAMERA



FHD

1080P

1080P



HD lens

H.264

Compression



HD night vision



Voice intercom



Built-in WiFi



Motion Detection



Pan/Tilt



Multi-user control



Multi-platform



Multi-screen mode



Multiple ways of storage

G43S

Vstarcam Home Security IP Camera

1080P








Simple fashion, beautiful design


Hull round shape, grinding black with a simple and generous, concise but noble.





GOKE chip, high performance

The device adopts GOKE G7102S high-quality layout, lower power consumption, and higher efficiency



Million pixel lens, HD video

The device adopts 2.0 megapixel HD lens resolution, 1920x1080 P video recording, showing more details



Pan and Tilt rotation

Remote control IP camera rotation by mobile phone APP to achieve 360 degree panorama monitor.



350°
Pan

60°
Tilt

107°
Viewing
angle

At night, infrared vision is visible, Double filter automatic switching, 6 pieces 850nm infrared light, night vision 5 ~ 10 meters, even in the dark, still can display HD quality




G43S night vision



Normal camera night vision

Motion detection, real-time alarm

When an abnormal situation is detected, the device will automatically capture photos and videos and push alarm information to the APP immediately.




Bidirectional voice, intelligent noise reduction

The equipment combines a microphone and a speaker for two-way intercom and visual communication anytime, anywhere.



Remote control, many users watching
The device supports WiFi connections without electrical wiring; Supports remote browsing to view your home quickly when you are outside the home.





Multi-class mode, easy to see Support PC, iPad, Android, iPhone, many end devices, for viewing, to suit other more occasions



Multiple storage, choose as you like
The device supports up to 128G TF memory card, and NVR for storage.



Easy installation, three steps to complete

Easy to install and use: on-connect-fix, simple and quick settings.



Power on



Download and register
connect to the APP



Fix the camera



Specification:

Brand: Vstarcam

Model: G43S

Resolution: 1080 P

System:

Operating system: embedded Linux operating

system Security system: account, password

DDNS permission management : free DDNS, support dynamic IP address.

Control protocol: ONVIF 2.0, high interoperability

Reset: press and hold for 15 seconds to restore factory settings.

Online Visitors in: support of 4 online visitors at the same time.

System requirements: for Win10 / 8 / 7 / XP, Vista, iOS, Android

Capture:

Image sensor: 1/4 inch 1080p progressive CMOS

CMOS sensor: support AWB, AGC, BLC

Signal to noise ratio: not less than 39dB

Minimum lighting: 0.8Lux / F1.4 (color mode); 0.3Lux / F1. (B and W mode)

Lens / view: F1.4 / 56.14 degrees 3.6mm

Night vision: double IR-CUT filter, automatic switching, 22 pcs 850nm, 5mm LED, 15 m infrared distance

Video:

Compressed format: H.264 main profile / H.264 basic profile / MJPEG / JPEG reference

Resolution: 1080p / VGA / QVGA

Bit rate: CBR / VBR, output bit rate range: 128-4096 kbps

Maximum frame rate: 30fps / 24fps (1080p)

Image adjustment: brightness, contrast, saturation, and adjustable definition.

Audio:

Compressed format: ADPCM / 32 kb / s

Input: 1 channel line input (3.5mm telephone socket) and 1 channel built in 48dB microphone.

Output: 1 output channel (3.5mm please call jack) and built-in speaker (8 ohms 1 watts).

Network:

Interface: 10Base-T / 100Base-TX Ethernet interface

Network protocols: TCP / IP, HTTP, TCP, UDP, SMTP, FTP, DHCP, DNS, DDNS, NTP, UPnP, RTSP, P2P, etc.

WiFi: WiFi802. 11b / g / n

Wi-Fi configuration: software settings

IP address: dynamic IP address and static IP address

Other:

Optical zoom: <10 times

Pixel: 2MP

Sensor size (inches): 1/4 inch.

Sensor type: CMOS

Product weight: 0.3360 kg

Package size: 140x95x100mm / 5.51x3.74x3.93 "

Package includes:

1 X G43S 2.0MP HD WIFI camera

1 X Power adapter

1 X Chinese and English instructions

1 X Screw