

# 7-STAR<sup>★</sup>

## DC13.5V 5A Uninterrupted Power Supply using Access Control System UPS Power Supply AC 220V



**PS5A12V/DOOR ACCESS**

**7-STAR<sup>★</sup>**



# 7-STAR<sup>\*</sup>

**5A Full Voltage-stabilizing Uninterrupted Power Supply PS5A12V for access control locks**

- 5A Full voltage-stabilizing power supply, voltage-stabilizing power for locks
- Setting NC/NO output can control different electric locks.
- Built-in electric circuit to protect electric lock inductor reverse current, reduce the load of the access controller.
- Built-in unlock time adjustable knob, the adjustable range is 0-10s.
- PUSH can connect switch signal, CONTROL can connect  $\pm 5V \sim \pm 12V$  electrical signal.
- Setting automatic protection function, built-in fuse(no charging circuit).
- Suitable for a variety of access control boards, card readers, and electric locks power supply.
- Power for two single locks, and two card readers in a set of access control
- With charge and discharge circuit, have battery space which can built-in one 12V/7A battery, or two 6V/4A batteries, or one 12V/7A lithium battery.

|                                |                               |
|--------------------------------|-------------------------------|
| <b>Model:</b>                  | <b>PS5A12VUPS/DOOR ACCESS</b> |
| <b>AC Input:</b>               | <b>220VAC, 50Hz</b>           |
| <b>DC Output:</b>              | <b>13.5VDC</b>                |
| <b>Starting current:</b>       | <b>5A</b>                     |
| <b>Operating Current:</b>      | <b>1.8A</b>                   |
| <b>Locks controlled:</b>       | <b>2 units</b>                |
| <b>Readers controlled:</b>     | <b>2 units</b>                |
| <b>Operating temperature :</b> | <b>20°C~60°C</b>              |
| <b>Operating humidity:</b>     | <b>≤90%RH</b>                 |
| <b>Dimension:</b>              | <b>214mm*168mm*73mm</b>       |
| <b>Weight:</b>                 | <b>1.94kg</b>                 |